


Westerbeke 7.0 KW Generator

Westerbeke 7.0 KW Generator
7.0 BCGD



Extremely compact, 1800-rpm smooth & quiet
Introducing the new
Westerbeke Low Profile
7.0 BCGD

The Most Compact 7.0 kW Available
The 1800-rpm 7.0 BCGD gasoline generator has the smallest envelope available.

Quiet
The 7.0 BCGD operates at a quiet 1800-rpm. So quiet, it does not require a sound

enclosure.

Smooth Operation

Operating with 3-cylinders and a balance shaft that virtually eliminates vibration, the 7.0 BCGD is an extremely smooth running generator set.

Durable and Reliable

The 7.0 BCGD runs at 28% of its maximum engine speed, so the owner can expect more durability and reliability.

Easy Maintenance

To minimize engine maintenance, the 7.0 BCGD is fresh water cooled and equipped with a simple control system. Easy access to all servicing points (single side servicing) allows easy installation and routine maintenance.

Five Year Limited Warranty

The 7.0 BCGD is backed by Westerbeke's 5-year limited warranty. The presence of Westerbeke in over 65 countries around the world provides customers with easy access to parts, service and technical support worldwide. Established in 1937, Westerbeke is committed to providing its customers with quality products and unequalled after sales support.

Standard Equipment

<ul style="list-style-type: none"> • Simple start/stop panel with running hour meter • Electronic governing • Overspeed protection • Safety shut-downs – hi-coolant temperature, low oil pressure, hi-exhaust temperature • Generator field adjustable to 50 or 60 Hz • A.C. circuit breaker • Battery charger • Fresh water cooling • Coolant recovery tank 	<ul style="list-style-type: none"> • 90° water injected exhaust elbow • Belt-driven, raw water pump Vibration mounts • Lube oil drain hose • Belt guard • Operator's manual and parts list • "CE" Mark • Simple start/stop control panel with running hour meter • CARB certified • EPA certified • Meets U.S.C.G. Regulation 33CFR-183
---	---

Optional Equipment

<ul style="list-style-type: none"> • Remote start/stop panel • Ship-shore switch • Hydro-hush muffler and fittings • "A" on board spare parts kit 	<ul style="list-style-type: none"> • "B" extended cruising spare parts kit • Anti-siphon valve for overboard cooling water discharge • Technical Manual
---	--

Price \$6,600.00

Westerbeke 7.0 KW Generator

Specifications for 7.0 BCGD Low-Profile:

Cylinders:	3
Bore:	2.6 in.
Stroke:	2.6 in.
Displacement:	40.0 cu. in.
Aspiration:	Natural
Length:	26.2 in.
Width:	15.2 in.
Height:	16.9 in.

Weight:	338.0 lbs.
---------	-------------------